灵动系列
SMART COLLECTION



Instagram:
voxflor_official

LinkedIn:
voxflor

Facebook:
voxflor

Youtube:
voxflor official

VOXFLOR 华腾

www.voxflor.com.cn

总部-中国上海
Headquarters-Shanghai, China
T +86 21 62989325

创意中心-意大利米兰
Creative Studio-Milano, Italy
T+39 3885863150

国内分部-北京/深圳/广州/厦门
China Branch Offices
-Beijing/Shenzhen/Guangzhou/Xiamen

微信公众号
WeChat
Official Account

微博
Weibo

VOXFLOR 华腾

passion and purpose

00.

我们的目标 OUR GOAL

灵动系列（Smart Collection）源于现代办公空间自然发生的流动——人在专注、移动、交流与协作之间不断切换，空间也随之形成属于自己的节奏。**灵动系列（Smart Collection）**以简单、灵活、易于应用的地面语言，为持续变化的现代办公空间建立一个实用而清晰的基础。


Smart Collection is inspired by the natural movement of the modern workplace — the changing rhythm between individual focus, movement and connection. Designed as a simple and versatile flooring collection, **Smart Collection** creates a practical foundation for spaces that are constantly in motion.

01.

节奏
SMART PACE

Smart Pace 源于行走，也源于空间本身的张弛。将快慢、疏密与微歇转化为地面的视觉语言，让空间随着人的步履，呈现出连续而富有韵律的起伏。


Smart Pace originates from walking, and from the very tension and release of space itself. It transforms pace, density, and moments of pause into a visual language of the ground, allowing the space to unfold in continuous, rhythmic undulations with every step.




Smart Pace

Smart Pace PA-04
Ashlar

Smart Pace PA-04
Ashlar



Smart Pace PA-04
Ashlar



Smart Pace PA-03
Ashlar



Smart Pace PA-03
Ashlar



Smart Pace PA-02
Smart Pace PA-08
Ashlar



Smart Pace PA-02
Smart Pace PA-08
Ashlar



Smart Pace PA-06
Herringbone



Smart Pace PA-04
Ashlar

Smart Pace PA-06
Herringbone



Upper Part:
Smart Pace PA-01
Smart Pace PA-07
Ashlar


Lower Part:
Smart Pace PA-04
Smart Pace PA-08
Ashlar

02.

配色方案 Colors



Smart Pace PA-01


Smart Pace PA-02


Smart Pace PA-03



Smart Pace PA-04


Smart Pace PA-05


Smart Pace PA-06


Smart Pace PA-07



Smart Pace PA-08



Smart Pace PA-09

技术参数 Specifications

品名	Style Name:	节奏 Smart Pace
结构	Construction:	Multi-Level Loop
纱线	Fiber:	Vicron™ Nylon
机型	Gauge:	1/12"
针密	Stitches:	13 per inch
绒重	Pile Weight:	18 OZ/yd²
绒高	Average Pile Height:	4.0 ± 0.5mm
底背	Backing:	EcoAce-Bac®
尺寸	Tile size:	25cm*100cm
耐磨	Area of Use:	Commercial – Heavy Duty
抗菌	Anti-microbial:	Ultra-Fresh Treatment (Available)
阻燃性	Flammability:	ASTM E 648 Class I, GB8624-2012 B1(C)
烟密度	Smoke Density:	ASTM E662≤450
静电性	Static Propensity:	AATCC-134≤3.5 KV, GB/T 18044-2008

安装方法 Installation Methods


竖砖铺
Ashlar


鱼骨铺
Herringbone


Smart Pace PA-01
Ashlar

03.


联结
SMART LINK

流动带来相遇，相遇形成连接。

Smart Link 以联结为核心，通过形态与纹理的自然过渡，回应人与人、人与场域之间的互动，让原本独立的区域彼此咬合，融为一个有机整体。

Flow brings encounter, and encounter brings connection.

Smart Link, with connection at its core, responds to the interactions between people and between people and places through natural transitions of form and texture, enabling originally independent areas to interlock and merge into an organic whole.



联结 Smart Link

Smart Link LI-04
Monolithic



Smart Link LI-04
Monolithic

Smart Link LI-01
Monolithic



Smart Link LI-01
Monolithic



Smart Link LI-01
Smart Link LI-06
Monolithic



Smart Link LI-01
Smart Link LI-06
Monolithic

Smart Link LI-03
Smart Link LI-07
Brick



Smart Link LI-07
Brick




Smart Link LI-03
Smart Link LI-08
Monolithic


04.


配色方案 Colors



Smart Link LI-01



Smart Link LI-02



Smart Link LI-03



Smart Link LI-04


Smart Link LI-05


Smart Link LI-06


Smart Link LI-07



Smart Link LI-08



Smart Link LI-09


技术参数 Specifications

品名	Style Name:	联结 Smart Link
结构	Construction:	Multi-Level Loop
纱线	Fiber:	Vicron™ Nylon
机型	Gauge:	1/12"
针密	Stitches:	13 per inch
绒重	Pile Weight:	18 OZ/yd²
绒高	Average Pile Height:	4.0 ± 0.5mm
底背	Backing:	EcoAce-Bac®
尺寸	Tile size:	50cm*50cm
耐磨	Area of Use:	Commercial – Heavy Duty
抗菌	Anti-microbial:	Ultra-Fresh Treatment (Available)
阻燃性	Flammability:	ASTM E 648 Class I, GB8624-2012 B1(C)
烟密度	Smoke Density:	ASTM E662≤450
静电性	Static Propensity:	AATCC-134≤3.5 KV, GB/T 18044-2008

安装方法 Installation Methods


顺铺
Monolithic


横竖铺
Quarter Turn


砖铺
Brick


Smart Link LI-02
Monolithic

为什么选择我们?Why our products?

华腾中国工厂已经是经过第三方认证的碳中和组织

The VOXFLOR China factory has been certified as a carbon-neutral organization by a third party.

我们获得了ISO14064,ISO14068-1和ISO14067这三项认证,在碳排放管理,碳中和以及产品碳足迹方面达到了国际认可的水平。

We have obtained three certifications, ISO14064, ISO14068-1 and ISO14067, to achieve internationally recognized levels of carbon management, carbon neutrality and product carbon footprint.

太阳能发电 **Solar Made Carpet**

华腾自主构建了太阳能发电系统,旨在通过清洁能源实现可持续生产。

VOXFLOR builds its own solar power generation system and use clean energy to produce in a sustainable way.

中国轻工工艺品碳标识(可选) China Carbon Label for Light Industrial Products and Arts-Craft (Available)

拥有此标签的产品碳足迹已按照国际公认标准进行核算,并通过了权威第三方认证机构的验证,是可信赖的绿色产品,华腾将竭诚为您的绿色项目服务。

The carbon footprint of products with this label has been accounted for in accordance with internationally recognized standards and verified by an authoritative third-party certification body, making them reliable green products. We will serve your green project wholeheartedly.

认证的制造系统 Certified Manufacturing System

我们的制造系统已获得ISO 9001,ISO 14001和ISO 45001认证,VOXFLOR 华腾®代表合格且值得信赖的产品。

Our manufacture system has been certified under ISO 9001, ISO 14001 and ISO 45001, VOXFLOR® represents qualified and trusty products.

抗菌技术(可选) Antimicrobial (Available)

Ultra-Fresh 是由 Thomson Research Associates, Inc. 开发的抗菌处理产品,客户可以选择这种高性能抗菌技术。

Ultra-Fresh is a portfolio of antimicrobial treatments developed by Thomson Research Associates, Inc. Customer can choose this High-Performance Antimicrobial Technology.

VOXFLOR® VicronTM Nylon 尼龙

VOXFLOR® Vicron™ 尼龙是一种溶液染色尼龙纤维系统,兼具持久的色彩,可靠的耐用性和商业性能,其高效的生产工艺减少了能源消耗,材料浪费和生产步骤,同时支持各类项目的灵活应用。

VOXFLOR® Vicron™ Nylon is a solution-dyed nylon fibre system combining lasting color, reliable durability and commercial performance. Its efficient manufacturing process reduces energy use, material waste and production steps while supporting flexibility across a wide range of projects.

CRI Green Label Plus

产品获得Green Label Plus认证,它是一个独立的测试,用于甄别出挥发性有机化合物(VOC)排放量极低的地毯。

The products have obtained Green Label Plus certification, which is an independent testing program that identifies carpet with very low emissions of VOCs.

CE

CE 标志表示产品已经过制造商评估,并符合欧盟的安全,健康和环境保护要求。

CE marking indicates that a product has been assessed by the manufacturer and deemed to meet EU safety, health and environmental protection requirements.

Red List Free

在由International Living Furture Institution颁发的Declare材料成分表中, EcoAce-Bac系列产品达到了最高级的"无红单化学品"等级。

VOXFLOR's EcoAce-Bac Collection reach "Red List Free" grade in Declare Label, which is published by International Living Furture Institution.

Environmental Product Declaration (EPD)

环境产品声明(EPD)是一份单一而全面的报告,讲述了产品的整个生命周期的情况。

An Environmental Product Declaration (EPD) tells the life cycle story of a product in a single, comprehensive report.

从摇篮到摇篮认证 **Cradle to Cradle Certified®**

Cradle to Cradle Certified® 是针对安全,循环和负责任制造产品的全球标准,如今,VOXFLOR 已凭借其认证产品成为 C2C 社区的一员。

Cradle to Cradle Certified® is the global standard for products that are safe, circular and responsibly made. Now VOXFLOR has become a member of C2C community with the certified products.

Singapore Green Label

新加坡绿色标签是一种I型生态标签,I型生态标签是基于产品生命周期的考虑,由第三方独立验证的。

The Singapore Green Label is a Type 1 Ecolabel. A Type 1 Ecolabel is independently verified by third party based on the life cycle considerations.

新加坡绿色建筑产品 (SGBP)

旨在认可那些在设计与制造全流程中融入可持续理念的产品,推动更绿色,更低碳的建筑建设,并支持可持续采购。

The Singapore Green Building Product (SGBP) certification scheme recognises products that integrate sustainability through out their design and manufacturing processes, supporting greener, more carbon-efficient buildings and sustainable pro-curement.

为绿建加分 **Credits**

WELL 是全球范围内推动建筑内健康和福祉的主要工具。

WELL is the leading tool for advancing health and well-being in buildings globally.

LEED(能源与环境设计先锋)是世界上最广泛使用的绿色建筑评级系统。

LEED (Leadership in Energy and Environmental Design) is the most widely used green building rating system in the world.

The Living Building Challenge (LBC) 是一个认证计划,它定义了可持续性的最高标准。

The Living Building Challenge (LBC) is a certification program that defines the most advanced measure of sustainability.